State Water Board Measure W-4 Workshop: Urban Water Use and Reuse

Wisely Managing Our Urban Water Resources

Neal Shapiro, City of Santa Monica June 17, Sacramento







OBJECTIVES

Harvest urban runoff (dry/wet weather) for reuse (recharge or direct use) and pollution treatment

Treat all dry weather and some wet weather urban runoff leaving the City

Connect land use/design to the Hydrologic Cycle, reducing the disconnect and disruption of water flow

Mimic nature; blend into the land

Take proactive, watershed approach to reducing urban runoff problems

Convert a perceived "waste" into a valuable resource for reuse – SMURRF, Cisterns







Hierarchy of Treatment

Collect, treat and (RE)USE

Dry weather – **REUSE**; second time use since dry weather runoff is wasted water already used once, i.e. irrigation runoff, hosing of hardscapes, washing cars, draining pools, etc.

Wet weather – **USE**; first time use of harvested rain water in place of potable water.

Collect, treat and infiltrate (latter polishes the treated runoff)








Water Quality

Relationship Between Impervious Cover and Stream Quality

As hardscapes increase, water quality goes down.



Source: Schueler, T. 1994. The Importance of Imperviousness. In: Watershed Protection Techniques 1(3):100-111.













A COPLEY LOS ANGELES NEWSPAPER DAILY Breeze

May 26, 1991 \$1.00 Torrance, California 97th year/Number 145 01991 The Copiey Press Inc.

Study links drains, bay to sickness

Polluted runoff after storms can nike risk of illness for swimmers

y Susan Woodward

Surfers have long suspected it, health officials have skirted it, and many purists haven't even thought about it.

TROUBLE IN THE BAY

But finally there is an answer to the long-asked question: Can swimming Santa Monica Bay make you sick?

Mislibu Creek and Lagoo

PACIFIC PALISADES

Choutannia Rivi.

Santa Monica P

Ashland Ave.

O Windward Ave.

MARINA DEL REY

(Ballona Creek

REDONDO BEACH

Redondo pie

VENICE

In short, yes.
According to a reort released Tuesay people who swim
he ocean close to
owing storm drains
are a 1 in 28 chance
developing a sympm such as fever,
astroenteritis, earche, nauses vomitng, diarrhes, coughse or a sore threat

ng or a sore throat.
The epidemiologial report — underuken by USC, School f Medicine Professor tobert Haile for the anta Monica Bay destoration Project—is the first to study the effects of urban unoff on human eaith.

Storm waters carry rash, fertilizers, gassine and animal fees from city streets nto the Los Angeles county storm-drain ystem, which emptiumerous outlets.

ystem, which empties the untreated runoff into Sa umerous outlets.

The report relies on beach surveys conducted last su

The report relies on beach surveys conducted last sur 5,400 people who swam near the Ashland Avenue str donica Beach, the Santa Monica Canyon storm drain at and at Surfrider Beach near Malibu Creek. All three loca



Local tourism dampened by stream of bad news

Visitor industry threatened by L.A. image



Venice m fund-rais

Art Walk set

NESS

rning: Beach bacteria hazard often

ak

rels frequently exceed at some of the county's seaches, but health offiarm swimmers or close ted waters, the environ-Heal the Bay charged

analysis of routine tests ches along Santa Monithat bacteria levels ex-

Health of region's

shores threatened

by urban runoff

Report card grades 48 beaches in the South Bay, Westside./A9

end of Ballona Creek in Playa del Rey. But the county Department of Health Services has no policy to warn the public of the routine violations unless the contamination can be linked a sewage spill.

"Unless there is a known sewage I lease, they don't want to do anything and Mark Gold, staff scientist for t "They fail to tell people about the rou-

County officials issued health warnings or closed beaches just 13 times since the beginning of 1889, despite evidence that bacterie standards are violated almost every day somewhere

"It's the only protection the swim mer has," Gold said. "It's the only measuring stick we have to tall people whether there is a problem at their heach."

County officials, asked Friday to comment on an advance copy of the report, did not return telephone calls.



The coast along Big Sur. Some officials said while the results were troubling, the wat

Beach Closings Reach Record Levels in State

■ Environment: Survey finds 3,547 instances of pollution problems last year.

By SEEMA MEHTA

California's fabled coastline is far more polluted



Danger of urban runoff noted

Assemblyman Nakano tells folks at Venice meeting bill would address pollution caused by older roads.

Laura Wides
Our Times

VENICE — A panel of experts including state Assemblyman George Nakano alerted local residents Tuesday night to the dangers of polluted urban runoff and its effect on Los Angeles beaches.

The Democrat, who represents Venice and a number of South Bay communities, urged

angaregina

By Harrison Shoppard

Water Quantity

Gov. proclaims statewide drought; Schwarzenegger's move puts Californians on notice that water rationing is possible. LA Times June 4, 2008

A permanent drought seen for Southwest

A study says global warming threatens to create another Dust Bowl. Water politics could also get heated.

By ALAN ZAREMBO and BETTINA BOXALL Times Staff Writers

The driest periods of the last century — the Dust Bowl of the 1930s and the droughts of the 1950s — may become the norm in the Southwest United States within decades because of global warming, according to a study released Thursday.

The research suggests that

Philip Mote, an atmospheric scientist at the University of Washington who was not involved in the study, added, "There is a convergence of the models that is very strong and very worrisome."

The future effect of global warming is the subject of a United Nations report to be released today in Brussels, the second of four installments being unveiled this year.


The first report from the Intergovernmental Panel on Climate Change was released in February. It declared that global warming had become a "runaway train" and that human activities were "very likely" to blame.

[See Drought, Page A17]



Paving Our Way to Water Shortages:

How Sprawl aggravates Drought















Turning Impermeable to Permeable LID Strategies











ORDINANCE

 Urban Runoff Pollution Mitigation Code. 7.10 SMMC

- Post-construction BMPs
- LID Focus
- Harvest up to ¾" storm event
- All land uses
- Retrofits, new and re-development







TREATMENT – Public Projects


- New & Retrofits in built out city, worse case
- Infiltration fields
- Porous surfaces
- Filtering
- Rainwater Harvesting & Use







Onsite Natural Infiltration/Filtration









Onsite Natural Infiltration/Filtration



Onsite Retention









Permeable Paving











Permeable Paving



Virginia Avenue Park









Virginia Avenue Park











Airport Park









Main Library



Use of Parkways











Parkway Infiltration











sustainable city plan
Water Resources Management



Big Blue Bus Retention: Phase II





415 Pacific Coast Highway - Retention











Green Beach Parking Lot Project



Green Beach Parking Lot Project



Bicknell Avenue Green St. Project










Bicknell Avenue Green St. Project



Bicknell Avenue Green St. Project





























TREATMENT -Private Properties

- Infiltration fields
- Permeable surfaces
- Rainwater storage and use







Onsite Natural Infiltration/Filtration





Onsite Retention-private businesses











Infiltration BMPs – Onsite Storage



Multi-Family





sustainable city plan
Water Resources Management



Eco-Rain Boxes







Multi-Family



sustainable city plan
Water Resources Management



Infiltration Pits BMPs – Onsite Retention



Single-Family








RainStore, Storm Cell





Infiltrators









Cultec Rechargers









Atlantis tanks









Other Plastic Storage Products



Above, CUDO Modular Tank, KriStar Below, Storm Tank, Brentwood Industries

















Driveways and Runoff – drains and paving



Driveways, Walkways and Runoff – drains and paving



Rain Barrel Pilot Program –

Disconnect or Redirect











Multi-Family building











Multi-Family building




Single Family project



Single Family project











Single Family project

Water gives life. Water sustains life. Water **IS** life.



Residential Rainwater Harvesting Systems







Green Roof & Pavers







Green Roof & Porous Concrete






SU





Natural Resources Defense Council offices













SMURRF

Santa Monica Urban Runoff Recycling Facility

Joint Santa Monica-Los Angeles Project

- •Reuse a local water resource.
- •Keep a pollution source out of Santa Monica Bay.
- •Reduce imported water supplies & impacts on other watersheds.
- •Open, walk-through facility to educate the public.
- •Up to 500,000 gallons/day, ave. is 325,000
- •3% of City's daily water use.
- •\$12 Million
- •\$175,000 O&M









Recommended Treatment for Reuse with Recycled Water

Runoff In

Screens Degritters



Membrane Filtration

Ultraviolet Disinfection

To Reuse

Trash

- Oil/Grease
- Turbidity

Pathogens


- Grit
- Suspended Solids







Rotating Drum Screen











Grit Chamber









Dissolved Air Floatation










Microfiltration




















UV Radiation Channel









Water Quality and Nomenclature –

Lack of adequate legal guidelines

Rainwater & Dry Weather Runoff Harvesting for Outdoor and Indoor Non-Potable Uses

Painwatan Hawasting (PWH) System	Type of Use	Minimum WQ	Treatment Process	Permit Requirement
Rainwater Harvesting (RWH) System Type of Use Minimum WQ Process Requiremen Rain Barrel (onsite collection)				
Must be certified by the National Sanitation Foundation (NSF) for use with potable water. Shall consist of a sealed lid with screen opening,	Landscape irrigation, gravity, hose	N/A	Pre-screening	N/A
 spigot and/or hose bib, screened air vent, and overflow pipe or equivalent. Shall be labeled to indicate non-potable water May not be connected to indoor/ outdoor municipal potable plumbing, pressurized or sprayed. All rain barrels shall be installed in accordance with the manufacturer's installation instruction. 	Car Washing	N/A	Pre-screening	
Cistern (onsite collection)		,		
 Must be certified by the National Sanitation Foundation (NSF) for use with potable water. All cisterns shall be installed in accordance with the manufacturer's installation instruction and be equipped with an overflow device I don't think you need these last 4 bullets below as this is a matrix for treatment only. The plumbing will come later after Public Health signs off on treatment, end-use matrix. I think we are all in agreement on the stuff below though I don't want to be beholden to Public Health. 	Landscape Spray Irrigation Sub-surface irrigation	Total coliforms < XXXX Fecal coliforms < XXXX No Mini WQ	 Pre-screening Detention/ sedimentation Disinfection – chlorination (tablet) Pre-screening Detention/ sedimentation 	PlumbingElectricalBuilding/Grading
Piping system: shall be identified by continuous			•	





Water Quality and Nomenclature – Lack of adequate legal guidelines


		Programme and the control of the con	Treatment Permit	50
Dry Weather Runoff Harvesting System	Type of Use		Process Requir	rement
	Min and	•		
SMURRF-like Treatment system or equivalent	Landscape spray irrigation	coliforms <	Pre-screening Detention/ sedimentation Disinfection — chlorination, UV or ozone	
	Landscape sub- surface irrigation	• I s s • I c c c c c c c c c c c c c c c c c c	Pre-screening Detention/ sedimentation Disinfection — chlorination (tablet)???? Maybe no disinfection For sub- surface	
	Water closet/urinal	coliforms < XXX	Pre-screening Detention/ sedimentation Disinfection — chlorination, UV or ozone or chlorine ablets ONLY	
	Clothes Washer	ACCOUNTS AND A COUNTY AND A COU	Pre-screening Detention/	

















Summary of BMP Types & Totals

LID BMP Type	Totals
Biofilters	96
Cisterns - Use	4
Depression Basins	79
French Drains	18
Gravel Beds/Trenches	11
Infiltration Pits - Rock	803
Infiltration Pits - Plastic	57
Permeable Paving	22
StormTreat	2
Water Treatment - Reuse	1
Tot	al 1,093
Non-LID BMPs	191
% LID BMPs/Total	85%







Summary of BMPs by Watershed



BMP Totals Per City Sub-Watersheds

11-Mar-2009

Watershed		Total # of BMPs	Total # of Parcels	<u>%</u>
16th Street		61	940	6.5%
Airport		93	1,514	6.1%
Ashland		51	1,564	3.3%
Centinela		47	913	5.1%
Georgina		47	306	15.4%
Kenter Canyon		353	5,591	6.3%
Lincoln		144	2,487	5.8%
Montana		297	2,923	10.2%
Pico-4th		24	590	4.1%
Pico-Caltrans		32	912	3.5%
Pier		19	189	10.1%
San Vicente		27	611	4.4%
Wilshire		105	4,382	2.4%
	Total	1,300	22,922	5.7%







Summary of Permeability by Land Use



Impervious Areas Without BMPs V. With BMPs

11-Mar-2009

	Without E	3MPS	With BMPS		
Land Use	<u>EIA*</u>	<u>Perm</u>	EIA*	Perm + IIA **	
Commercial	92.7%	7.3%	16.2%	83.8%	
Government	65.2%	34.8%	1.2%	98.8%	
Mixed-Use	97.3%	2.7%	24.3%	75.7%	
Multi-Family	80.1%	19.9%	13.0%	87.0%	
Single-Family	52.1%	47.9%	2.5%	97.5%	
Unknown	0.0%	0.0%	0.0%	0.0%	
Total	69.9%	30.1%	8.1%	91.9%	







Summary of BMPs Costs by BMP

	Total #	Average BMP	Avg	Avg Cost	% BMP
BMP Type	of Projects	Cost/Project	Project Cost	Per Gallon	Cost/Project
Biofilter - Gutters	39	\$2,202	\$285,026	\$2.56	0.77
Biofilter - No Gutters	67	\$11,325	\$126,987	\$1.56	8.92
Diversion - 2 Stage	1	\$1,135,700	\$1,135,700	\$17.52	100.00
Diversion - Only	2	\$2,050,000	\$2,050,000	\$129.46	100.00
Filtering - Catch Basin Insert	26	\$21,986	\$2,951,173	\$2.79	0.74
Filtering - CDS	8	\$77,372	\$6,325,497	\$10.37	1.22
Filtering - Downspout Insert	4	\$14,525	\$718,750	\$1.10	2.02
Filtering - Sand Filter	1	\$193,300	\$24,153,900	\$11.04	0.80
Filtering - StormFilter	8	\$248,734	\$9,162,125	\$4.35	2.71
Filtering - Vortechs	1	\$60,000	\$29,000,000	\$2.38	0.21
Filtering - Vortex (general)	1	\$0	\$1,400,000	\$0.00	0.00
Green Roof	2	\$16,375	\$115,000	\$12.62	14.24
Infiltration - Concrete Vault	1	\$250,000	\$58,000,000	\$1.59	0.43
Infiltration - Depression Basin	82	\$3,465	\$132,354	\$1.19	2.62
Infiltration - French Drain	20	\$3,830	\$2,392,200	\$3.02	0.16
Infiltration - Gravel Bed	5	\$8,090	\$284,000	\$4.55	2.85
Infiltration - Perforated CMP	1	\$5,300	\$800,000	\$0.42	0.66
Infiltration - Pit (Gold Chamber)	7	\$42,392	\$4,877,571	\$6.46	0.87
Infiltration - Pit (Mis c pipe)	1	\$60,000	\$9,450,000	\$5.65	0.63
Infiltration - Pit (Plastic Box Modu	118	\$11,854	\$818,689	\$4.76	1.45
Infiltration - Pit (RainStore)	15	\$29,030	\$1,116,200	\$4.34	2.60
Infiltration - Pit (Recharger)	3	\$8,603	\$5,166,667	\$1.67	0.17
Infiltration - Pit (Rock)	836	\$6,348	\$896,591	\$2.86	0.71
Infiltration - Pit (StormCell)	3	\$6,977	\$530,667	\$4.35	1.31
Infiltration - StormTreat	2	\$37,500	\$37,500	\$1.44	100.00
Permeable Paving - Pavers	22	\$9,163	\$536,481	\$2.68	1.71
Permeable Paving - Porous Con	9	\$6,307	\$189,084	\$3.03	3.34
Reuse - SMURRF	1	\$12,000,000	\$12,000,000	\$37.05	100.00
Use - Cistern	5	\$152,800	\$12,092,800	\$4.13	1.26
Total	1,291	\$23,938	\$1,093,489	\$3.20	2.19







Thank You







